

## ANALYSIS OF AROCLORS

Column: **CGB-5**, P/N CG-122168

Dimensions: 60m x 0.22mm x 0.20  $\mu\text{m}$

Injection: splitless

Carrier gas:  $\text{H}_2$ , 150 KPa

Oven temperature: 80°C(3,1min) @ 50°C/min to 190°C(5min) @

1°C/min to 230°C(4min) @ 4°C/min to 260°C

Detector: ECD, 350°C

*Chromatogram provided by C. Rodríguez and L. Comellas  
from Institut Químic de Sarrià, Barcelona.*

