

# SEPARATION OF BTEX ISOMERS

Column: **CGB-624**, P/N CG-601833

Dimensions: 30m x 0.32mm x 1.8  $\mu$ m

Injection: 1  $\mu$ L BTEX sample (50 ppm on column), 260°C

Carrier gas: H<sub>2</sub>, 6.9 psi (47.9 KPa)

Oven temperature: 40°C @ 8°C/min to 240°C(10min)

Detector: FID, 260°C

