

## SEPARATION OF BTX

Column: **Cronus X5**, P/N CG-820232

Dimensions: 30m x 0.25mm x 0.25  $\mu\text{m}$

Injection: 1  $\mu\text{L}$  BTX mixture, split 1:20, 250°C

Carrier gas: He, constant pressure 10 psi (68.9 KPa)

Oven temperature: 40°C (2min) @ 10°C/min to 100°C @ 20°C/min to 200°C

Detector: MS, SIM, 250°C transfer line

*Chromatogram provided by Bàrbara Bagó and Lluís Comellas from Institut Químic de Sarrià (IQS), Barcelona.*

