

GLYCOLS

Column: **CGB-F50**, P/N CG-571015

Dimensions: 15m x 0.53mm x 1.0 μ m

Injection: 0,4 μ L Glycols mixture in Methanol, split 1:50,
15ng/comp on column, 250°C

Carrier gas: H₂, constant pressure 1.5 psi (10.3 KPa),
40.15 cm/s (40°C)

Oven program: 40°C (5min) to 210°C/(10min) @ 15°C/min

Detector: FID, 280°C

