

ANALYSIS OF SOLVENTS

Column: **CGB-WAX**, P/N CG-142065

Dimensions: 60m x 0.53mm x 2.0 μ m

Injection: wet needle, split, 250°C

Carrier gas: H₂, constant pressure 4 psi (27.6 KPa).

Oven program: 55°C(20min) @ 3°C/min to 220°C(15min)

Detector: FID, 260°C

Peak Name

- 1- Acetone
- 2- Methyl acetate
- 3- Ethyl acetate
- 4- Methanol + MEK
- 5- Isopropanol
- 6- Ethanol
- 7- MIKB
- 8- Methoxypropyl acetate
- 9- Isobutyl acetate
- 10- Toluene
- 11- Methoxypropanol
- 12- n-butyl acetate
- 13- Isobutanol
- 14- n-butanol
- 15- p,m-xylenes
- 16- o-xylene
- 17- Ethylglycol
- 18- Diacetone alcohol
- 19- Butyl glycol

