

TUNA OIL WITH ADDED DHA

Column: **SupraWax-280**, 15m x 0.10mm x 0.10 μ m (P/N: CG-830111)

Injection: 1 μ L Methylated sample, 280 $^{\circ}$ C, split 100:1

Carrier Gas: H₂, 45 psi (310.05 KPa)

Oven: 100 $^{\circ}$ C (0.5min) @ 50 $^{\circ}$ C/min to 280 $^{\circ}$ C (2min)

Detector: FID, 280 $^{\circ}$ C

